



# NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),  
Proposed Sites for Community Importance (pSCI),  
Sites of Community Importance (SCI) and  
for Special Areas of Conservation (SAC)

SITE IT4060017  
SITENAME Po di Primaro e Bacini di Traghetti

## TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

## 1. SITE IDENTIFICATION

<b>1.1 Type</b> A	<b>1.2 Site code</b> IT4060017	<a href="#">Back to top</a>
----------------------	-----------------------------------	-----------------------------

### 1.3 Site name

Po di Primaro e Bacini di Traghetti

<b>1.4 First Compilation date</b> 2006-08	<b>1.5 Update date</b> 2017-01
----------------------------------------------	-----------------------------------

### 1.6 Respondent:

**Name/Organisation:** Regione Emilia-Romagna - Direzione Generale Ambiente, Difesa del Suolo e della Costa - Servizio Parchi e Risorse forestali  
**Address:** Viale della Fiera, 8 - 40127 Bologna  
**Email:** segrprn@regione.emilia-romagna.it

### 1.7 Site indication and designation / classification dates

<b>Date site classified as SPA:</b>	2006-10
<b>National legal reference of SPA designation</b>	Deliberazione della Giunta Regionale dell'Emilia-Romagna n. 167 del 13 febbraio 2006

## 2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

**Longitude**  
11.712804

**Latitude**  
44.642277

**2.2 Area [ha]:**  
1434.0

**2.3 Marine area [%]**  
0.0

**2.4 Sitelength [km]:**  
0.0

### 2.5 Administrative region code and name

**NUTS level 2 code**      **Region Name**

ITD5	Emilia-Romagna
------	----------------






### 2.6 Biogeographical Region(s)

Continental (100.0  
%)

## 3. ECOLOGICAL INFORMATION

[Back to top](#)

### 3.1 Habitat types present on the site and assessment for them

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
3150 			41.32		G	B	C	B	C
3270 			6.11		G	B	C	B	B
6210 	X		6.49		G	B	C	B	C
6430 			9.5		G	B	C	B	B
92A0 			23.55		G	B	C	B	B

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

### 3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive

## 92/43/EEC and site evaluation for them

Species					Population in the site						Site assessment			
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D.qual.	A B C D	A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A298	<a href="#">Acrocephalus arundinaceus</a>			r				P	DD	C	B	C	B
B	A298	<a href="#">Acrocephalus arundinaceus</a>			c				P	DD	C	B	C	B
B	A296	<a href="#">Acrocephalus palustris</a>			c				P	DD	C	B	C	B
B	A296	<a href="#">Acrocephalus palustris</a>			r				P	DD	C	B	C	B
B	A297	<a href="#">Acrocephalus scirpaceus</a>			c				P	DD	C	B	C	B
B	A297	<a href="#">Acrocephalus scirpaceus</a>			r				P	DD	C	B	C	B
B	A168	<a href="#">Actitis hypoleucos</a>			c				P	DD	C	B	C	B
B	A168	<a href="#">Actitis hypoleucos</a>			w				P	DD	C	B	C	B
B	A229	<a href="#">Alcedo atthis</a>			w				P	DD	C	B	C	B
B	A229	<a href="#">Alcedo atthis</a>			c				P	DD	C	B	C	B
B	A229	<a href="#">Alcedo atthis</a>			p				P	DD	C	B	C	B
B	A229	<a href="#">Alcedo atthis</a>			r				P	DD	C	B	C	B
B	A056	<a href="#">Anas clypeata</a>			r	2	2	p		G	C	B	C	B
B	A056	<a href="#">Anas clypeata</a>			w	24	24	i		G	C	B	C	B
B	A056	<a href="#">Anas clypeata</a>			c				P	DD	C	B	C	B
B	A052	<a href="#">Anas crecca</a>			w	100	100	i		G	C	B	C	B
B	A052	<a href="#">Anas crecca</a>			c				P	DD	C	B	C	B
B	A050	<a href="#">Anas penelope</a>			w				P	DD	C	B	C	B
B	A050	<a href="#">Anas penelope</a>			c				P	DD	C	B	C	B
B	A053	<a href="#">Anas platyrhynchos</a>			w	120	120	i		G	C	B	C	B
B	A053	<a href="#">Anas platyrhynchos</a>			c				P	DD	C	B	C	B
B	A053	<a href="#">Anas platyrhynchos</a>			p				P	DD	C	B	C	B
B	A053	<a href="#">Anas platyrhynchos</a>			r				P	DD	C	B	C	B
B	A055	<a href="#">Anas querquedula</a>			c				P	DD	C	B	C	B
B	A055	<a href="#">Anas querquedula</a>			r	3	3	p		G	C	B	C	B
B	A043	<a href="#">Anser anser</a>			c				P	DD	C	B	C	B
B	A043	<a href="#">Anser anser</a>			w				P	DD	C	B	C	B





B	A023	<a href="#">nycticorax</a>			w				P	DD	C	B	C	B
B	A023	<a href="#">Nycticorax nycticorax</a>			c				P	DD	C	B	C	B
B	A151	<a href="#">Philomachus pugnax</a>			c				P	DD	C	B	C	B
B	A034	<a href="#">Platalea leucorodia</a>			c				P	DD	C	B	C	B
B	A140	<a href="#">Pluvialis apricaria</a>			c				P	DD	C	B	C	B
B	A140	<a href="#">Pluvialis apricaria</a>			w				P	DD	C	B	C	B
B	A118	<a href="#">Rallus aquaticus</a>			p				P	DD	C	B	C	B
B	A118	<a href="#">Rallus aquaticus</a>			r				P	DD	C	B	C	B
B	A118	<a href="#">Rallus aquaticus</a>			c				P	DD	C	B	C	B
B	A118	<a href="#">Rallus aquaticus</a>			w				P	DD	C	B	C	B
B	A336	<a href="#">Remiz pendulinus</a>			r				P	DD	C	B	C	B
B	A336	<a href="#">Remiz pendulinus</a>			c				P	DD	C	B	C	B
B	A336	<a href="#">Remiz pendulinus</a>			p				P	DD	C	B	C	B
B	A336	<a href="#">Remiz pendulinus</a>			w				P	DD	C	B	C	B
B	A275	<a href="#">Saxicola rubetra</a>			c				P	DD	C	B	C	B
B	A155	<a href="#">Scolopax rusticola</a>			w				P	DD	C	B	C	B
B	A155	<a href="#">Scolopax rusticola</a>			c				P	DD	C	B	C	B
B	A193	<a href="#">Sterna hirundo</a>			c				P	DD	C	B	C	B
B	A210	<a href="#">Streptopelia turtur</a>			c				P	DD	C	B	C	B
B	A210	<a href="#">Streptopelia turtur</a>			r				P	DD	C	B	C	B
B	A309	<a href="#">Sylvia communis</a>			c				P	DD	C	B	C	B
B	A309	<a href="#">Sylvia communis</a>			r				P	DD	C	B	C	B
B	A166	<a href="#">Tringa glareola</a>			c				P	DD	C	B	C	B
B	A165	<a href="#">Tringa ochropus</a>			w				P	DD	C	B	C	B
B	A165	<a href="#">Tringa ochropus</a>			c				P	DD	C	B	C	B
B	A232	<a href="#">Upupa epops</a>			c				P	DD	C	B	C	B
B	A232	<a href="#">Upupa epops</a>			r				P	DD	C	B	C	B

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

### 3.3 Other important species of flora and fauna (optional)

Species			Population in the site					Motivation							
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories				
					Min	Max		C R V P	IV	V	A	B	C	D	
A	2361	<a href="#">Bufo bufo</a>						P						X	
A	1201	<a href="#">Bufo viridis</a>						P	X						
P		<a href="#">Cynoglossum creticum</a>						P							X
P		<a href="#">Gratiola officinalis</a>						P							X
A	5358	<a href="#">Hyla intermedia</a>						P	X						
R	5179	<a href="#">Lacerta bilineata</a>						P	X						
P		<a href="#">Leucojum aestivum</a>						P							X
P		<a href="#">Ophrys sphegodes</a>						P							X
P		<a href="#">Orchis tridentata</a>						P					X		
P		<a href="#">Thymus pulegioides</a>						P							X
P		<a href="#">Vicia hybrida</a>						P							X

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

## 4. SITE DESCRIPTION

[Back to top](#)

### 4.1 General site character

Habitat class	% Cover
N15	57.0
N10	5.0
N06	10.0
N23	3.0
N16	10.0
N20	10.0
N08	5.0
<b>Total Habitat Cover</b>	<b>100</b>

### Other Site Characteristics

Tratti del Fiume Reno e del Po di Primaro circondati da aree agricole, in continuità sia con le Valli di Campotto (a sud-est) sia con le zone umide del bolognese (ad ovest). Ricadono nel sito gli ex bacini dello zuccherificio di Molinella oggetto di interventi di bonifica e riqualificazione ambientale (1998), ampi maceri ed ex cave allagate.

### 4.2 Quality and importance

Fiumi con vegetazione erbacea annuale dell'alveo fluviale (*Chenopodium rubri* e *Bidention p.p.*), praterie mesofile secondarie (mesobrometi) e boschi igrofilo a salici e pioppi delle sponde del Reno e del Po di Primaro. La rete di fossati e canali è ricca di idrofite e vegetazione spontanea.

## 5. SITE PROTECTION STATUS (optional)

[Back to top](#)

### 5.1 Designation types at national and regional level:

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT00	100.0				

## 6. SITE MANAGEMENT

[Back to top](#)

### 6.1 Body(ies) responsible for the site management:

Organisation:	ENTE GESTORE: Regione Emilia-Romagna
Address:	recapiti ed email consultabili sul web: <a href="http://ambiente.regione.emilia-romagna.it/parchi-natura2000/rete-natura-2000/enti">http://ambiente.regione.emilia-romagna.it/parchi-natura2000/rete-natura-2000/enti</a>
Email:	-

### 6.2 Management Plan(s):

An actual management plan does exist:

<input checked="" type="checkbox"/>	Yes
<input type="checkbox"/>	No, but in preparation
<input type="checkbox"/>	No



### 6.3 Conservation measures (optional)

Piani di Gestione e Misure Specifiche di Conservazione sono consultabili sul web:  
<http://ambiente.regione.emilia-romagna.it/parchi-natura2000/rete-natura-2000/msc-pg>

## 7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes  No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

204SO 204NO 203SE 185SE 1:25.000 UTM