



# NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),  
Proposed Sites for Community Importance (pSCI),  
Sites of Community Importance (SCI) and  
for Special Areas of Conservation (SAC)

SITE IT4010017  
SITENAME Conoide del Nure e Bosco di Fornace vecchia

## TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

## 1. SITE IDENTIFICATION

1.1 Type C	1.2 Site code IT4010017	<a href="#">Back to top</a>
---------------	----------------------------	-----------------------------

### 1.3 Site name

Conoide del Nure e Bosco di Fornace vecchia
---

1.4 First Compilation date 2002-06	1.5 Update date 2022-12
---------------------------------------	----------------------------

### 1.6 Respondent:

Name	Regione Emilia-Romagna - Direzione Generale Cura del territorio e dell'ambiente - Servizio Aree protette, foreste e
/Organisation:	sviluppo della montagna
Address:	Viale Aldo Moro, 30 - 40127 Bologna
Email:	segrprn@regione.emilia-romagna.it

### 1.7 Site indication and designation / classification dates

Date site classified as SPA:	2004-02
National legal reference of SPA designation	Deliberazione della Giunta Regionale dell'Emilia-Romagna n. 1816 del 22 settembre 2003
Date site proposed as SCI:	2002-07
Date site confirmed as SCI:	No data
Date site designated as SAC:	2019-03
National legal reference of SAC designation:	DM 13/03/2019 - G.U. 79 del 03-04-2019

## 2. SITE LOCATION

### 2.1 Site-centre location [decimal degrees]:

[Back to top](#)

Longitude 9.699167      Latitude 44.920278

## 2.2 Area [ha]:

580.0

## 2.3 Marine area [%]

0.0

## 2.4 Sitelength [km]:

0.0

## 2.5 Administrative region code and name

NUTS level 2 code

Region Name

ITD5	Emilia-Romagna
------	----------------

## 2.6 Biogeographical Region(s)

Continental (100.0  
%)

## 3. ECOLOGICAL INFORMATION

## 3.1 Habitat types present on the site and assessment for them

[Back to top](#)

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
3140B			1.0		P	B	C	B	B
3240B			38.96		G	C	C	B	C
3270B			90.94		G	B	C	B	A
6210B	X		103.06		G	C	C	B	C
91L0B			10.53		G	B	C	B	B
92A0B			56.28		G	B	C	B	B

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

## 3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species					Population in the site					Site assessment				
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D. qual.	A B C D	A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A168	<a href="#">Actitis hypoleucos</a>			c				R	DD	C	B	C	C
B	A247	<a href="#">Alauda arvensis</a>			w				P	DD	C	B	C	C
B	A247	<a href="#">Alauda arvensis</a>			r				C	DD	C	B	C	C
B	A247	<a href="#">Alauda arvensis</a>			p				P	DD	C	B	C	C
B	A247	<a href="#">Alauda arvensis</a>			c				P	DD	C	B	C	C
B	A229	<a href="#">Alcedo atthis</a>			w				P	DD	C	B	C	C
B	A229	<a href="#">Alcedo atthis</a>			c				P	DD	C	B	C	C

B	A229	<a href="#">Alcedo atthis</a>			p				P	DD	C	B	C	C
B	A229	<a href="#">Alcedo atthis</a>			r				P	DD	C	B	C	C
B	A255	<a href="#">Anthus campestris</a>			c				P	DD	C	B	C	C
B	A255	<a href="#">Anthus campestris</a>			r				P	DD	C	B	C	C
B	A221	<a href="#">Asio otus</a>			w				P	DD	C	B	C	C
B	A221	<a href="#">Asio otus</a>			c				P	DD	C	B	C	C
B	A221	<a href="#">Asio otus</a>			r				P	DD	C	B	C	C
B	A221	<a href="#">Asio otus</a>			p				P	DD	C	B	C	C
F	1137	<a href="#">Barbus plebejus</a>			p				P	DD	C	B	C	B
B	A133	<a href="#">Burhinus oedicnemus</a>			r				P	DD	C	B	C	B
B	A133	<a href="#">Burhinus oedicnemus</a>			c				P	DD	C	B	C	B
B	A243	<a href="#">Calandrella brachydactyla</a>			r				P	DD	C	B	C	B
B	A243	<a href="#">Calandrella brachydactyla</a>			c				P	DD	C	B	C	B
B	A224	<a href="#">Caprimulgus europaeus</a>			r				P	DD	C	B	C	C
B	A224	<a href="#">Caprimulgus europaeus</a>			c				P	DD	C	B	C	C
I	1088	<a href="#">Cerambyx cerdo</a>			p				P	DD	C	B	C	C
B	A136	<a href="#">Charadrius dubius</a>			r				C	DD	C	B	C	C
B	A136	<a href="#">Charadrius dubius</a>			c				P	DD	C	B	C	C
F	5304	<a href="#">Cobitis bilineata</a>			p				P	DD	C	B	C	B
B	A026	<a href="#">Egretta garzetta</a>			c				P	DD	C	C	C	B
B	A103	<a href="#">Falco peregrinus</a>			w				P	DD	C	B	C	B
B	A103	<a href="#">Falco peregrinus</a>			c				P	DD	C	B	C	B
B	A099	<a href="#">Falco subbuteo</a>			r				C	DD	C	B	C	C
B	A099	<a href="#">Falco subbuteo</a>			c				P	DD	C	B	C	C
B	A244	<a href="#">Galerida cristata</a>			w				P	DD	C	B	C	C
B	A244	<a href="#">Galerida cristata</a>			r				P	DD	C	B	C	C
B	A244	<a href="#">Galerida cristata</a>			c				P	DD	C	B	C	C
B	A244	<a href="#">Galerida cristata</a>			p				P	DD	C	B	C	C
B	A338	<a href="#">Lanius collurio</a>			c				P	DD	C	B	C	C
B	A338	<a href="#">Lanius collurio</a>			r				P	DD	C	B	C	C
I	1083	<a href="#">Lucanus cervus</a>			p				P	DD	C	B	C	C
B	A230	<a href="#">Merops apiaster</a>			r				C	DD	C	B	C	C
B	A230	<a href="#">Merops apiaster</a>			c				P	DD	C	B	C	C
M	1307	<a href="#">Myotis blythii</a>			p				P	DD	C	B	C	B
B	A277	<a href="#">Oenanthe oenanthe</a>			r				R	DD	C	B	C	C
B	A277	<a href="#">Oenanthe oenanthe</a>			c				P	DD	C	B	C	C
I	1037	<a href="#">Ophiogomphus cecilia</a>			p				P	DD	C	B	C	B
B	A249	<a href="#">Riparia riparia</a>			r				P	DD	C	B	C	C
B	A249	<a href="#">Riparia riparia</a>			c				C	DD	C	B	C	C
B	A210	<a href="#">Streptopelia turtur</a>			r				C	DD	C	B	C	C
B	A210	<a href="#">Streptopelia turtur</a>			c				P	DD	C	B	C	C
F	5331	<a href="#">Telestes muticellus</a>			p				P	DD	C	B	C	B
B	A232	<a href="#">Upupa epops</a>			r				C	DD	C	B	C	C
B	A232	<a href="#">Upupa epops</a>			c				P	DD	C	B	C	C

● Group: A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles

- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

### 3.3 Other important species of flora and fauna (optional)

Species			Population in the site					Motivation							
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories				
					Min	Max		C R V P	IV	V	A	B	C	D	
P		<a href="#">Anacamptis pyramidalis</a>						P						X	
A	6962	<a href="#">Bufotes viridis Complex</a>						P	X						
P		<a href="#">Cephalanthera longifolia</a>						P						X	
I		<a href="#">Cicindela majalis</a>						P							X
M	1327	<a href="#">Eptesicus serotinus</a>						P	X						
R	5670	<a href="#">Hierophis viridiflavus</a>						C	X						
A	5358	<a href="#">Hyla intermedia</a>						P	X						
M	5365	<a href="#">Hypsugo savii</a>						P	X						
R	5179	<a href="#">Lacerta bilineata</a>						P	X						
M	1314	<a href="#">Myotis daubentonii</a>						P	X						
R		<a href="#">Natrix maura</a>						P						X	
R	1292	<a href="#">Natrix tessellata</a>						P	X						
P		<a href="#">Ophrys fuciflora</a>						P						X	
P		<a href="#">Orchis morio</a>						P						X	
A	6976	<a href="#">Pelophylax esculentus</a>						P		X					
M	2016	<a href="#">Pipistrellus kuhlii</a>						P	X						
M	1309	<a href="#">Pipistrellus pipistrellus</a>						P	X						
R	1256	<a href="#">Podarcis muralis</a>						P	X						
A	1209	<a href="#">Rana dalmatina</a>						P	X						
P		<a href="#">Schoenoplectus tabernaemontani</a>						P							X
P		<a href="#">Typha minima</a>						P							X
R	6091	<a href="#">Zamenis longissimus</a>						P	X						

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** IV, V: Annex Species (Habitats Directive), A: National Red List data; B: Endemics; C: International Conventions; D: other reasons

## 4. SITE DESCRIPTION

#### 4.1 General site character

[Back to top](#)

Habitat class	% Cover
N06	39.0
N23	1.0
N08	48.0
N16	2.0
N09	1.0
N12	8.0
N20	1.0
<b>Total Habitat Cover</b>	<b>100</b>

#### Other Site Characteristics

Il sito comprende il conoide del Torrente Nure ed è caratterizzato da un esteso greto, in buono stato di conservazione, con relativi ambienti perifluviali. L'habitat 6210 è da considerarsi prioritario.

#### 4.2 Quality and importance

L'area del conoide del Torrente Nure assume una rilevanza notevole per la conservazione della biodiversità della pianura e in particolare per diverse specie di uccelli all'interno della fascia planiziale provinciale. In esso sono presenti infatti diversi ambienti (incolti, prati aridi e arbusteti) praticamente scomparsi altrove (salvo in altri conoidi) che consentono la sopravvivenza di diverse specie (sebbene in alcuni casi con poche coppie) rare in pianura e legate agli ambienti aperti e agli incolti quali il succiacapre, la calandrella, l'occhione e l'averla piccola e il calandro. Il sito include ghiareti e praterie aride, e importanti lembi di foresta planiziaria. Area rilevante per le specie faunistiche *Eptesicus serotinus*, *Hypsugo savii*, *Pipistrellus albolimbatus*, *Pipistrellus khulii*, *Myotis daubentoni*, e per le specie floristiche *Anacamptis pyramidalis*, *Cephalantera longifolia*, *Ophrys fuciflora*, *Orchis morio*, *Hyssopus officinalis*. Il Bosco della Fornace rappresenta un relitto di foresta planiziaria dominato da varie specie di querce (*Q. pubescens*, *Q. petrae*, *Q. cerris*) a cui si associano in varia misura Ontano bianco (*Alnus incana*), Carpino nero (*Ostrya carpinifolia*) Castagno (*Castanea sativa*), Frassino (*Fraxinus excelsior*), Orniello (*F. ornus*), Acero campestre (*Acer campestre*) e varie specie di pioppo (*P. alba*, *P. nigra*, *P. tremula*).

#### 4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
M	B29		i
M	C01		i
M	G11		i

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside /outside [i o b]

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

#### 4.4 Ownership (optional)

#### 4.5 Documentation

### 5. SITE PROTECTION STATUS (optional)

#### 5.1 Designation types at national and regional level:

[Back to top](#)

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT00	100.0				

#### 5.2 Relation of the described site with other sites:

#### 5.3 Site designation (optional)

### 6. SITE MANAGEMENT

### 6.1 Body(ies) responsible for the site management:

[Back to top](#)

Organisation:	ENTE GESTORE: Regione Emilia-Romagna
Address:	recapiti ed email consultabili sul web: <a href="http://ambiente.regione.emilia-romagna.it/it/parchi-natura2000/consultazione/enti-di-gestione/enti-gestione-parchi">http://ambiente.regione.emilia-romagna.it/it/parchi-natura2000/consultazione/enti-di-gestione/enti-gestione-parchi</a>
Email:	-

### 6.2 Management Plan(s):

An actual management plan does exist:

<input checked="" type="checkbox"/> Yes	Name: Piani di Gestione del sito IT4010017 - Conoide del Nure e Bosco di Fornace vecchia Link: <a href="http://ambiente.regione.emilia-romagna.it/it/parchi-natura2000/rete-natura-2000/strumenti-di-gestione/misure-specifiche-di-conservazione-piani-di-gestione/elenco-documenti-approvati-per-sito-piani-di-gestione">http://ambiente.regione.emilia-romagna.it/it/parchi-natura2000/rete-natura-2000/strumenti-di-gestione/misure-specifiche-di-conservazione-piani-di-gestione/elenco-documenti-approvati-per-sito-piani-di-gestione</a>
<input type="checkbox"/> No, but in preparation	
<input type="checkbox"/> No	

### 6.3 Conservation measures (optional)

Le Misure Specifiche di Conservazione sono consultabili alla pagina web del sito: <http://ambiente.regione.emilia-romagna.it/it/parchi-natura2000/rete-natura-2000/siti/it4010017>

## 7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes  No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

180SO 180NO 179SE 1:25.000 UTM