



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IT4020027

SITENAME Cronovilla

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

| | | |
|----------------------|-----------------------------------|-----------------------------|
| 1.1 Type C | 1.2 Site code IT4020027 | Back to top |
|----------------------|-----------------------------------|-----------------------------|

1.3 Site name

| |
|------------|
| Cronovilla |
|------------|

| | |
|--|-----------------------------------|
| 1.4 First Compilation date 2012-10 | 1.5 Update date 2022-12 |
|--|-----------------------------------|

1.6 Respondent:

| | |
|-----------------------|---|
| Name | Regione Emilia-Romagna - Direzione Generale Cura del territorio e dell'ambiente - Servizio Aree protette, foreste e |
| /Organisation: | sviluppo della montagna |
| Address: | Viale Aldo Moro, 30 - 40127 Bologna |
| Email: | segrprn@regione.emilia-romagna.it |

1.7 Site indication and designation / classification dates

| | |
|---|---|
| Date site classified as SPA: | 2012-10 |
| National legal reference of SPA designation | Deliberazione della Giunta Regionale dell'Emilia-Romagna n. 893 del 2 luglio 2012 |
| Date site proposed as SCI: | 2012-10 |
| Date site confirmed as SCI: | No data |
| Date site designated as SAC: | 2019-03 |
| National legal reference of SAC designation: | DM 13/03/2019 - G.U. 79 del 03-04-2019 |

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

Longitude

10.4119

Latitude

44.658

2.2 Area [ha]:

92.0

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code

Region Name

| | |
|------|----------------|
| ITD5 | Emilia-Romagna |
|------|----------------|

2.6 Biogeographical Region(s)

Continental (100.0
%)

3. ECOLOGICAL INFORMATION

3.1 Habitat types present on the site and assessment for them

[Back to top](#)

| Annex I Habitat types | | | | | | Site assessment | | | |
|-----------------------|----|----|------------|---------------|--------------|------------------|------------------|--------------|--------|
| Code | PF | NP | Cover [ha] | Cave [number] | Data quality | A B C D | A B C | | |
| | | | | | | Representativity | Relative Surface | Conservation | Global |
| 3130 B | | | 0.6 | | G | C | C | B | B |
| 3140 B | | | 0.29 | | G | B | C | B | B |
| 3150 B | | | 6.22 | | G | B | C | A | B |
| 3240 B | | | 2.51 | | G | B | C | B | C |
| 3260 B | | | 0.08 | | G | C | C | B | B |
| 3270 B | | | 3.18 | | G | C | C | B | B |
| 6110 B | | | 0.24 | | G | C | C | A | B |
| 6210 B | X | | 4.65 | | G | B | C | A | B |
| 6410 B | | | 0.5 | | G | C | C | B | B |
| 91AA B | | | 0.77 | | G | C | C | B | C |
| 91F0 B | | | 5.59 | | G | C | C | B | C |
| 92A0 B | | | 15.33 | | G | A | C | B | A |

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

| Species | | | | | Population in the site | | | | | Site assessment | | | | |
|---------|------|---------------------------------|---|----|------------------------|------|-----|------|------|-----------------|---------|-------|------|------|
| G | Code | Scientific Name | S | NP | T | Size | | Unit | Cat. | D. qual. | A B C D | A B C | | |
| | | | | | | Min | Max | | | | Pop. | Con. | Iso. | Glo. |
| B | A086 | Accipiter nisus | | | r | | | | P | DD | C | B | C | B |

| | | | | | | | | | | | | | | |
|---|------|---|--|--|---|--|--|--|---|----|---|---|---|---|
| B | A298 | Acrocephalus arundinaceus | | | r | | | | P | DD | C | B | C | B |
| B | A294 | Acrocephalus paludicola | | | c | | | | V | DD | C | B | C | B |
| B | A297 | Acrocephalus scirpaceus | | | c | | | | R | DD | C | B | C | B |
| B | A297 | Acrocephalus scirpaceus | | | r | | | | P | DD | C | B | C | B |
| B | A168 | Actitis hypoleucos | | | w | | | | C | DD | C | B | C | B |
| B | A168 | Actitis hypoleucos | | | r | | | | P | DD | C | B | C | B |
| B | A324 | Aegithalos caudatus | | | w | | | | C | DD | C | B | C | B |
| B | A324 | Aegithalos caudatus | | | r | | | | P | DD | C | B | C | B |
| B | A247 | Alauda arvensis | | | r | | | | P | DD | C | B | C | B |
| B | A229 | Alcedo atthis | | | w | | | | R | DD | C | B | C | B |
| B | A229 | Alcedo atthis | | | c | | | | P | DD | C | B | C | B |
| B | A229 | Alcedo atthis | | | r | | | | C | DD | C | B | C | B |
| B | A110 | Alectoris rufa | | | p | | | | R | DD | C | B | C | B |
| B | A110 | Alectoris rufa | | | w | | | | R | DD | C | B | C | B |
| B | A054 | Anas acuta | | | w | | | | R | DD | C | B | C | B |
| B | A054 | Anas acuta | | | c | | | | R | DD | C | B | C | B |
| B | A052 | Anas crecca | | | r | | | | P | DD | C | B | C | B |
| B | A052 | Anas crecca | | | c | | | | C | DD | C | B | C | B |
| B | A053 | Anas platyrhynchos | | | r | | | | P | DD | C | B | C | B |
| B | A043 | Anser anser | | | c | | | | R | DD | C | B | C | B |
| B | A039 | Anser fabalis | | | c | | | | C | DD | C | B | C | B |
| B | A255 | Anthus campestris | | | c | | | | P | DD | C | B | C | B |
| B | A257 | Anthus pratensis | | | w | | | | C | DD | C | B | C | B |
| B | A257 | Anthus pratensis | | | c | | | | C | DD | C | B | C | B |
| B | A256 | Anthus trivialis | | | c | | | | R | DD | C | B | C | B |
| B | A226 | Apus apus | | | r | | | | P | DD | C | B | C | B |
| B | A091 | Aquila chrysaetos | | | p | | | | R | DD | C | B | C | B |
| B | A091 | Aquila chrysaetos | | | c | | | | C | DD | C | B | C | B |
| B | A091 | Aquila chrysaetos | | | w | | | | R | DD | C | B | C | B |
| B | A773 | Ardea alba | | | w | | | | C | DD | C | B | C | B |
| B | A773 | Ardea alba | | | r | | | | V | DD | C | B | C | B |
| B | A773 | Ardea alba | | | c | | | | C | DD | C | B | C | B |
| B | A028 | Ardea cinerea | | | p | | | | C | DD | C | B | C | B |
| B | A028 | Ardea cinerea | | | w | | | | C | DD | C | B | C | B |
| B | A029 | Ardea purpurea | | | p | | | | V | DD | C | B | C | B |
| B | A029 | Ardea purpurea | | | c | | | | C | DD | C | B | C | B |
| B | A024 | Ardeola ralloides | | | c | | | | V | DD | C | B | C | B |
| B | A222 | Asio flammeus | | | c | | | | P | DD | C | B | C | B |
| B | A221 | Asio otus | | | p | | | | R | DD | C | B | C | B |
| B | A218 | Athene noctua | | | w | | | | R | DD | C | B | C | B |
| B | A218 | Athene noctua | | | r | | | | P | DD | C | B | C | B |
| I | 1092 | Austropotamobius pallipes | | | p | | | | P | DD | C | B | C | B |
| B | A059 | Aythya ferina | | | w | | | | R | DD | C | B | C | B |
| B | A059 | Aythya ferina | | | p | | | | R | DD | C | B | C | B |
| B | A059 | Aythya ferina | | | c | | | | R | DD | C | B | C | B |

| | | | | | | | | | | | | | | |
|---|------|---|--|--|---|--|--|--|---|----|---|---|---|---|
| B | A061 | Aythya fuligula | | | c | | | | R | DD | C | B | C | B |
| B | A061 | Aythya fuligula | | | w | | | | R | DD | C | B | C | B |
| B | A060 | Aythya nyroca | | | c | | | | R | DD | C | B | C | B |
| F | 1137 | Barbus plebejus | | | p | | | | P | DD | C | B | C | B |
| B | A021 | Botaurus stellaris | | | c | | | | R | DD | C | B | C | B |
| B | A021 | Botaurus stellaris | | | w | | | | R | DD | C | B | C | B |
| B | A025 | Bubulcus ibis | | | w | | | | C | DD | C | B | C | B |
| B | A025 | Bubulcus ibis | | | p | | | | C | DD | C | B | C | B |
| B | A133 | Burhinus oedicnemus | | | c | | | | C | DD | C | B | C | B |
| B | A133 | Burhinus oedicnemus | | | r | | | | C | DD | C | B | C | B |
| B | A087 | Buteo buteo | | | w | | | | R | DD | C | B | C | B |
| B | A087 | Buteo buteo | | | r | | | | P | DD | C | B | C | B |
| B | A088 | Buteo lagopus | | | w | | | | R | DD | C | B | C | B |
| B | A088 | Buteo lagopus | | | c | | | | R | DD | C | B | C | B |
| B | A243 | Calandrella brachydactyla | | | c | | | | P | DD | C | B | C | B |
| B | A149 | Calidris alpina | | | w | | | | R | DD | C | B | C | B |
| B | A149 | Calidris alpina | | | c | | | | R | DD | C | B | C | B |
| B | A145 | Calidris minuta | | | c | | | | R | DD | C | B | C | B |
| B | A861 | Calidris pugnax | | | c | | | | R | DD | C | B | C | B |
| B | A224 | Caprimulgus europaeus | | | w | | | | C | DD | C | B | C | B |
| B | A224 | Caprimulgus europaeus | | | p | | | | C | DD | C | B | C | B |
| B | A364 | Carduelis carduelis | | | c | | | | C | DD | C | B | C | B |
| B | A364 | Carduelis carduelis | | | r | | | | P | DD | C | B | C | B |
| B | A364 | Carduelis carduelis | | | w | | | | R | DD | C | B | C | B |
| B | A335 | Certhia brachydactyla | | | c | | | | R | DD | C | B | C | B |
| B | A335 | Certhia brachydactyla | | | w | | | | R | DD | C | B | C | B |
| B | A288 | Cettia cetti | | | c | | | | C | DD | C | B | C | B |
| B | A288 | Cettia cetti | | | r | | | | P | DD | C | B | C | B |
| B | A136 | Charadrius dubius | | | r | | | | P | DD | C | B | C | B |
| B | A734 | Chlidonias hybrida | | | c | | | | P | DD | C | B | C | B |
| B | A197 | Chlidonias niger | | | c | | | | P | DD | C | B | C | B |
| B | A363 | Chloris chloris | | | r | | | | P | DD | C | B | C | B |
| B | A363 | Chloris chloris | | | w | | | | R | DD | C | B | C | B |
| B | A363 | Chloris chloris | | | c | | | | C | DD | C | B | C | B |
| B | A031 | Ciconia ciconia | | | c | | | | C | DD | C | B | C | B |
| B | A031 | Ciconia ciconia | | | w | | | | C | DD | C | B | C | B |
| B | A030 | Ciconia nigra | | | c | | | | V | DD | C | B | C | B |
| B | A080 | Circaetus gallicus | | | c | | | | R | DD | C | B | C | B |
| B | A081 | Circus aeruginosus | | | c | | | | C | DD | C | B | C | B |
| B | A082 | Circus cyaneus | | | c | | | | V | DD | C | B | C | B |
| B | A084 | Circus pygargus | | | w | | | | R | DD | C | B | C | B |
| B | A084 | Circus pygargus | | | c | | | | R | DD | C | B | C | B |
| B | A084 | Circus pygargus | | | p | | | | V | DD | C | B | C | B |
| B | A289 | Cisticola juncidis | | | p | | | | R | DD | C | B | C | B |
| B | A289 | Cisticola juncidis | | | w | | | | R | DD | C | B | C | B |
| F | 5304 | Cobitis bilineata | | | p | | | | P | DD | C | B | C | B |

| | | | | | | | | | | | | | | |
|---|------|---|--|--|---|--|--|--|---|----|---|---|---|---|
| B | A373 | Coccothraustes coccothraustes | | | c | | | | C | DD | C | B | C | B |
| B | A373 | Coccothraustes coccothraustes | | | w | | | | R | DD | C | B | C | B |
| B | A206 | Columba livia | | | w | | | | C | DD | C | B | C | B |
| B | A206 | Columba livia | | | p | | | | C | DD | C | B | C | B |
| B | A208 | Columba palumbus | | | w | | | | R | DD | C | B | C | B |
| B | A208 | Columba palumbus | | | r | | | | P | DD | C | B | C | B |
| B | A231 | Coracias garrulus | | | c | | | | R | DD | C | B | C | B |
| B | A615 | Corvus cornix | | | r | | | | P | DD | C | B | C | B |
| B | A349 | Corvus corone | | | w | | | | R | DD | C | B | C | B |
| B | A347 | Corvus monedula | | | w | | | | R | DD | C | B | C | B |
| B | A113 | Coturnix coturnix | | | c | | | | R | DD | C | B | C | B |
| B | A212 | Cuculus canorus | | | r | | | | P | DD | C | B | C | B |
| B | A212 | Cuculus canorus | | | c | | | | C | DD | C | B | C | B |
| B | A480 | Cyanecula svecica | | | c | | | | R | DD | C | B | C | B |
| B | A483 | Cyanistes caeruleus | | | r | | | | P | DD | C | B | C | B |
| B | A036 | Cygnus olor | | | w | | | | R | DD | C | B | C | B |
| B | A036 | Cygnus olor | | | c | | | | R | DD | C | B | C | B |
| B | A738 | Delichon urbicum | | | r | | | | P | DD | C | B | C | B |
| B | A237 | Dendrocopos major | | | r | | | | P | DD | C | B | C | B |
| B | A869 | Dryobates minor | | | w | | | | R | DD | C | B | C | B |
| B | A026 | Egretta garzetta | | | r | | | | R | DD | C | B | C | B |
| B | A026 | Egretta garzetta | | | w | | | | C | DD | C | B | C | B |
| B | A026 | Egretta garzetta | | | c | | | | C | DD | C | B | C | B |
| B | A383 | Emberiza calandra | | | w | | | | R | DD | C | B | C | B |
| B | A383 | Emberiza calandra | | | r | | | | P | DD | C | B | C | B |
| B | A377 | Emberiza cirius | | | c | | | | R | DD | C | B | C | B |
| B | A376 | Emberiza citrinella | | | c | | | | R | DD | C | B | C | B |
| B | A379 | Emberiza hortulana | | | c | | | | R | DD | C | B | C | B |
| B | A381 | Emberiza schoeniclus | | | w | | | | C | DD | C | B | C | B |
| B | A381 | Emberiza schoeniclus | | | r | | | | P | DD | C | B | C | B |
| B | A269 | Erithacus rubecula | | | r | | | | P | DD | C | B | C | B |
| B | A269 | Erithacus rubecula | | | w | | | | R | DD | C | B | C | B |
| I | 6199 | Euplagia quadripunctaria | | | p | | | | P | DD | C | B | C | B |
| B | A098 | Falco columbarius | | | c | | | | V | DD | C | B | C | B |
| B | A103 | Falco peregrinus | | | c | | | | R | DD | C | B | C | B |
| B | A103 | Falco peregrinus | | | w | | | | V | DD | C | B | C | B |
| B | A099 | Falco subbuteo | | | r | | | | P | DD | C | B | C | B |
| B | A099 | Falco subbuteo | | | c | | | | C | DD | C | B | C | B |
| B | A096 | Falco tinnunculus | | | r | | | | P | DD | C | B | C | B |
| B | A096 | Falco tinnunculus | | | w | | | | R | DD | C | B | C | B |
| B | A359 | Fringilla coelebs | | | r | | | | P | DD | C | B | C | B |
| B | A359 | Fringilla coelebs | | | w | | | | C | DD | C | B | C | B |
| B | A360 | Fringilla montifringilla | | | w | | | | R | DD | C | B | C | B |
| B | A360 | Fringilla montifringilla | | | c | | | | R | DD | C | B | C | B |

| | | | | | | | | | | | | | | |
|---|------|---|--|--|---|--|--|--|---|----|---|---|---|---|
| B | A125 | Fulica atra | | | r | | | | P | DD | C | B | C | B |
| B | A153 | Gallinago gallinago | | | r | | | | P | DD | C | B | C | B |
| B | A123 | Gallinula chloropus | | | r | | | | P | DD | C | B | C | B |
| B | A342 | Garrulus glandarius | | | r | | | | P | DD | C | B | C | B |
| B | A127 | Grus grus | | | c | | | | V | DD | C | B | C | B |
| B | A092 | Hieraetus pennatus | | | c | | | | R | DD | C | B | C | B |
| B | A131 | Himantopus himantopus | | | r | | | | C | DD | C | B | C | B |
| B | A131 | Himantopus himantopus | | | c | | | | C | DD | C | B | C | B |
| B | A300 | Hippolais polyglotta | | | c | | | | C | DD | C | B | C | B |
| B | A300 | Hippolais polyglotta | | | p | | | | R | DD | C | B | C | B |
| B | A251 | Hirundo rustica | | | r | | | | P | DD | C | B | C | B |
| B | A862 | Hydrocoloeus minutus | | | c | | | | R | DD | C | B | C | B |
| B | A022 | Ixobrychus minutus | | | c | | | | R | DD | C | B | C | B |
| B | A022 | Ixobrychus minutus | | | r | | | | R | DD | C | B | C | B |
| B | A233 | Jynx torquilla | | | p | | | | R | DD | C | B | C | B |
| B | A338 | Lanius collurio | | | r | | | | R | DD | C | B | C | B |
| B | A338 | Lanius collurio | | | c | | | | R | DD | C | B | C | B |
| B | A339 | Lanius minor | | | c | | | | R | DD | C | B | C | B |
| B | A341 | Lanius senator | | | c | | | | R | DD | C | B | C | B |
| B | A459 | Larus cachinnans | | | w | | | | V | DD | C | B | C | B |
| B | A459 | Larus cachinnans | | | c | | | | R | DD | C | B | C | B |
| B | A179 | Larus ridibundus | | | w | | | | V | DD | C | B | C | B |
| B | A179 | Larus ridibundus | | | c | | | | R | DD | C | B | C | B |
| B | A476 | Linaria cannabina | | | c | | | | R | DD | C | B | C | B |
| B | A476 | Linaria cannabina | | | w | | | | R | DD | C | B | C | B |
| I | 1083 | Lucanus cervus | | | p | | | | P | DD | C | B | C | B |
| B | A246 | Lullula arborea | | | c | | | | P | DD | C | B | C | B |
| B | A271 | Luscinia megarhynchos | | | c | | | | C | DD | C | B | C | B |
| B | A271 | Luscinia megarhynchos | | | r | | | | P | DD | C | B | C | B |
| I | 1060 | Lycaena dispar | | | p | | | | P | DD | C | B | C | B |
| B | A152 | Lymnocyptes minimus | | | c | | | | R | DD | C | B | C | B |
| B | A152 | Lymnocyptes minimus | | | w | | | | R | DD | C | B | C | B |
| B | A855 | Mareca penelope | | | c | | | | R | DD | C | B | C | B |
| B | A855 | Mareca penelope | | | w | | | | R | DD | C | B | C | B |
| B | A230 | Merops apiaster | | | r | | | | P | DD | C | B | C | B |
| B | A073 | Milvus migrans | | | c | | | | P | DD | C | B | C | B |
| B | A074 | Milvus milvus | | | c | | | | R | DD | C | B | C | B |
| B | A262 | Motacilla alba | | | c | | | | C | DD | C | B | C | B |
| B | A262 | Motacilla alba | | | r | | | | P | DD | C | B | C | B |
| B | A261 | Motacilla cinerea | | | c | | | | C | DD | C | B | C | B |
| B | A260 | Motacilla flava | | | c | | | | C | DD | C | B | C | B |
| B | A319 | Muscicapa striata | | | r | | | | P | DD | C | B | C | B |
| M | 1324 | Myotis myotis | | | p | | | | P | DD | C | B | C | B |
| B | A768 | Numenius arquata arquata | | | w | | | | R | DD | C | B | C | B |
| B | A768 | Numenius arquata arquata | | | c | | | | R | DD | C | B | C | B |

| | | | | | | | | | | | | | | |
|---|------|---|--|--|---|--|--|--|---|----|---|---|---|---|
| B | A023 | Nycticorax nycticorax | | | r | | | | C | DD | C | B | C | B |
| B | A023 | Nycticorax nycticorax | | | c | | | | C | DD | C | B | C | B |
| B | A277 | Oenanthe oenanthe | | | c | | | | R | DD | C | B | C | B |
| B | A277 | Oenanthe oenanthe | | | p | | | | R | DD | C | B | C | B |
| B | A337 | Oriolus oriolus | | | r | | | | P | DD | C | B | C | B |
| B | A214 | Otus scops | | | c | | | | C | DD | C | B | C | B |
| B | A214 | Otus scops | | | r | | | | P | DD | C | B | C | B |
| B | A094 | Pandion haliaetus | | | c | | | | R | DD | C | B | C | B |
| B | A330 | Parus major | | | r | | | | P | DD | C | B | C | B |
| B | A621 | Passer italiae | | | w | | | | C | DD | C | B | C | B |
| B | A621 | Passer italiae | | | r | | | | P | DD | C | B | C | B |
| B | A621 | Passer italiae | | | p | | | | C | DD | C | B | C | B |
| B | A356 | Passer montanus | | | w | | | | C | DD | C | B | C | B |
| B | A356 | Passer montanus | | | r | | | | P | DD | C | B | C | B |
| B | A356 | Passer montanus | | | p | | | | C | DD | C | B | C | B |
| B | A112 | Perdix perdix | | | r | | | | P | DD | C | B | C | B |
| B | A072 | Pernis apivorus | | | c | | | | R | DD | C | B | C | B |
| B | A017 | Phalacrocorax carbo | | | p | | | | C | DD | C | B | C | B |
| B | A017 | Phalacrocorax carbo | | | w | | | | C | DD | C | B | C | B |
| B | A115 | Phasianus colchicus | | | r | | | | P | DD | C | B | C | B |
| B | A273 | Phoenicurus ochruros | | | w | | | | R | DD | C | B | C | B |
| B | A273 | Phoenicurus ochruros | | | c | | | | C | DD | C | B | C | B |
| B | A274 | Phoenicurus phoenicurus | | | r | | | | P | DD | C | B | C | B |
| B | A572 | Phylloscopus collybita | | | w | | | | R | DD | C | B | C | B |
| B | A572 | Phylloscopus collybita | | | r | | | | P | DD | C | B | C | B |
| B | A316 | Phylloscopus trochilus | | | c | | | | R | DD | C | B | C | B |
| B | A343 | Pica pica | | | r | | | | P | DD | C | B | C | B |
| B | A866 | Picus viridis | | | r | | | | P | DD | C | B | C | B |
| B | A032 | Plegadis falcinellus | | | c | | | | R | DD | C | B | C | B |
| B | A140 | Pluvialis apricaria | | | c | | | | V | DD | C | B | C | B |
| B | A140 | Pluvialis apricaria | | | w | | | | V | DD | C | B | C | B |
| B | A005 | Podiceps cristatus | | | c | | | | R | DD | C | B | C | B |
| B | A005 | Podiceps cristatus | | | r | | | | P | DD | C | B | C | B |
| B | A008 | Podiceps nigricollis | | | w | | | | R | DD | C | B | C | B |
| B | A008 | Podiceps nigricollis | | | p | | | | R | DD | C | B | C | B |
| B | A008 | Podiceps nigricollis | | | c | | | | R | DD | C | B | C | B |
| B | A493 | Poecile palustris | | | w | | | | R | DD | C | B | C | B |
| B | A493 | Poecile palustris | | | r | | | | P | DD | C | B | C | B |
| B | A119 | Porzana porzana | | | c | | | | R | DD | C | B | C | B |
| F | 5962 | Protochondrostoma genei | | | p | | | | P | DD | C | B | C | B |
| B | A266 | Prunella modularis | | | w | | | | R | DD | C | B | C | B |
| B | A118 | Rallus aquaticus | | | r | | | | P | DD | C | B | C | B |
| B | A317 | Regulus regulus | | | w | | | | R | DD | C | B | C | B |
| B | A336 | Remiz pendulinus | | | p | | | | R | DD | C | B | C | B |
| B | A336 | Remiz pendulinus | | | w | | | | R | DD | C | B | C | B |

| | | | | | | | | | | | | | | | |
|---|------|---|--|--|--|--|--|--|---|---|--|---|---|---|---|
| P | | sylvestris | | | | | | | P | | | | | | X |
| P | | Eleocharis uniglumis uniglumis | | | | | | | P | | | | | | X |
| M | 1327 | Eptesicus serotinus | | | | | | | p | X | | | | | |
| P | | Gymnadenia conopsea | | | | | | | P | | | | | X | |
| R | 5670 | Hierophis viridiflavus | | | | | | | P | X | | | | | |
| A | 5358 | Hyla intermedia | | | | | | | P | X | | | | | |
| M | 5365 | Hypsugo savii | | | | | | | P | X | | | | | |
| R | 5179 | Lacerta bilineata | | | | | | | P | X | | | | | |
| P | | Lemna minor | | | | | | | P | | | | | | X |
| I | | Libellula depressa | | | | | | | P | | | | | | X |
| A | | Lissotriton vulgaris | | | | | | | P | | | X | | | |
| P | | Listera ovata | | | | | | | P | | | | | X | |
| M | | Martes foina | | | | | | | P | | | | | | X |
| M | | Meles meles | | | | | | | P | | | | | X | |
| M | 1341 | Muscardinus avellanarius | | | | | | | P | X | | | | | |
| M | 1314 | Myotis daubentonii | | | | | | | P | X | | | | | |
| P | | Myriophyllum verticillatum | | | | | | | P | | | | | | X |
| R | | Natrix natrix | | | | | | | P | | | | | X | |
| R | 1292 | Natrix tessellata | | | | | | | P | X | | | | | |
| P | | Ophrys apifera | | | | | | | P | | | | | X | |
| P | | Ophrys bertolonii | | | | | | | P | | | | X | | |
| P | | Ophrys fuciflora fuciflora | | | | | | | P | | | | | X | |
| P | | Orchis coriophora | | | | | | | P | | | | | X | |
| P | | Orchis morio | | | | | | | P | | | | | X | |
| P | | Orchis purpurea | | | | | | | P | | | | | X | |
| P | | Orchis tridentata | | | | | | | P | | | | | X | |
| F | | Padogobius martensii | | | | | | | P | | | X | | | |
| A | | Pelophylax lessonae /klepton esculentus (group) | | | | | | | P | X | | | | | |
| M | 2016 | Pipistrellus kuhlii | | | | | | | P | X | | | | | |
| M | 1309 | Pipistrellus pipistrellus | | | | | | | P | X | | | | | |
| R | 1256 | Podarcis muralis | | | | | | | P | X | | | | | |
| R | 1250 | Podarcis siculus | | | | | | | P | X | | | | | |
| P | | Potamogeton natans | | | | | | | P | | | | | | X |
| A | 1209 | Rana dalmatina | | | | | | | P | X | | | | | |
| P | | Ranunculus trichophyllus trichophyllus | | | | | | | P | | | | | | X |
| P | | Schoenoplectus lacustris | | | | | | | P | | | | | | X |
| M | | Sciurus vulgaris | | | | | | | P | | | X | | | |
| M | | Sorex araneus | | | | | | | P | | | | | | X |
| M | | Sorex minutus | | | | | | | P | | | | | | X |
| M | | Sorex samniticus | | | | | | | P | | | X | | | |

| | | | | | | | | | | | | | | | |
|---|------|---|--|--|--|--|--|---|---|--|--|--|--|---|---|
| F | | Squalius cephalus | | | | | | P | | | | | | | X |
| M | | Suncus etruscus | | | | | | P | | | | | | X | |
| I | | Sympetrum depressiusculum | | | | | | P | | | | | | | X |
| P | | Typha angustifolia | | | | | | P | | | | | | | X |
| P | | Typha latifolia | | | | | | P | | | | | | | X |
| P | | Typha minima | | | | | | P | | | | | | | X |
| P | | Vinca minor | | | | | | P | | | | | | | X |
| R | 6091 | Zamenis longissimus | | | | | | P | X | | | | | | |
| I | 1053 | Zerynthia polyxena | | | | | | P | X | | | | | | |

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** IV, V: Annex Species (Habitats Directive), A: National Red List data; B: Endemics; C: International Conventions; D: other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

| Habitat class | % Cover |
|----------------------------|------------|
| N07 | 1.0 |
| N16 | 40.0 |
| N23 | 2.0 |
| N15 | 3.0 |
| N12 | 10.0 |
| N06 | 10.0 |
| N08 | 24.0 |
| N09 | 10.0 |
| Total Habitat Cover | 100 |

Other Site Characteristics

Territorio ubicato in sinistra idrografica del Torrente Enza nella fascia pedecollinare parmense, presso la confluenza con il Torrente Termina. Nell'area si riconoscono molto chiaramente le modifiche degli interventi antropici che hanno alterato le condizioni morfologiche del paesaggio e del suolo. Le passate attività estrattive hanno determinato in alcuni casi condizioni di significativa artificiosità e degrado. Altri lembi dell'area risultano tuttavia da circa vent'anni sostanzialmente intatti da attività antropiche e ciò ha permesso l'instaurarsi con successo di cenosi vegetali di pregio e un significativo ripopolamento faunistico, composto soprattutto da uccelli.

4.2 Quality and importance

All'interno dell'area si osservano diverse tipologie di habitat naturali e seminaturali. Nell'alveo ordinario si presentano condizioni ambientali fortemente limitanti (piene autunnali e primaverili e terreno ghiaioso arido) che permettono la crescita di una vegetazione a copertura discontinua e composta esclusivamente da specie erbacee. Allontanandoci dalle acque correnti principali, l'acqua di risorgiva che persiste nei terreni ghiaiosi e sabbiosi garantisce condizioni ambientali stabili di tipo mesotrofico e permette lo sviluppo di una vegetazione idrofita ed elofita con una significativa ricchezza floristica. Le zone umide presenti nelle depressioni di origine estrattiva sono contraddistinte da un elevato pregio naturalistico poiché questi ambienti e il loro popolamento vegetale sono caratterizzati da maggior originalità rispetto alle cenosi presenti nelle vasche alimentate dalle acque più eutrofiche del Canale della Spelta. A lato delle suddette zone umide si segnala la presenza dei prati xerici tipici dei terrazzi fluviali; questi presentano una copertura continua o discontinua e sono sviluppati su suoli ricchi di scheletro ghiaioso e caratterizzati da prolungate limitazioni idriche persistenti durante l'anno. I boschi ripariali sono formati da specie vegetali tipicamente igrofile e vegetano in posizione più arretrata, su terrazzi posti ad una quota più alta rispetto al greto. Il progressivo abbassamento del torrente Enza ha causato una riduzione delle inondazioni stagionali semplificando le condizioni ambientali e vegetazionali

dei boschi ripariali prospicienti il greto. In queste fitocenosi si osserva la crescita di specie vegetali più aridofile che portano ad una trasformazione di queste comunità fluviali verso complessi simili ai boschi collinari; le specie arbustive si osservano nelle vicinanze dell'alveo o nelle schiarite dei boschi e nei suoli maggiormente aridi e aperti troviamo alcune macchie ad olivello spinoso.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

| Negative Impacts | | | |
|------------------|---------------------------------|-----------------------------------|---------------------------|
| Rank | Threats and pressures [code] | Pollution (optional) [code] | inside/outside [i o b] |
| M | G08 | | i |
| M | K05 | | i |

| Positive Impacts | | | |
|------------------|-------------------------------------|-----------------------------------|-------------------------------|
| Rank | Activities, management [code] | Pollution (optional) [code] | inside /outside [i o b] |

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.4 Ownership (optional)

4.5 Documentation

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

| Code | Cover [%] | Code | Cover [%] | Code | Cover [%] |
|------|-----------|------|-----------|------|-----------|
| IT00 | 100.0 | | | | |

5.2 Relation of the described site with other sites:

5.3 Site designation (optional)

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

| | |
|---------------|---|
| Organisation: | ENTE GESTORE: Regione Emilia-Romagna |
| Address: | recapiti ed email consultabili sul web: http://ambiente.regione.emilia-romagna.it/it/parchi-natura2000/consultazione/enti-di-gestione/enti-gestione-parchi |
| Email: | - |

6.2 Management Plan(s):

An actual management plan does exist:

| |
|---|
| <input type="checkbox"/> Yes |
| <input type="checkbox"/> No, but in preparation |
| <input checked="" type="checkbox"/> No |

6.3 Conservation measures (optional)

Le Misure Specifiche di Conservazione sono consultabili alla pagina web del sito: <http://ambiente.regione.emilia-romagna.it/it/parchi-natura2000/rete-natura-2000/siti/it4020027>

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

200SO 1:25.000 UTM