



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and

for Special Areas of Conservation (SAC)

SITE IT4040001
SITENAME Monte Cimone, Libro Aperto, Lago di Pratignano

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

| | | |
|----------------------|-----------------------------------|-----------------------------|
| 1.1 Type C | 1.2 Site code IT4040001 | Back to top |
|----------------------|-----------------------------------|-----------------------------|

1.3 Site name

Monte Cimone, Libro Aperto, Lago di Pratignano

| | |
|--|-----------------------------------|
| 1.4 First Compilation date 1999-09 | 1.5 Update date 2021-12 |
|--|-----------------------------------|

1.6 Respondent:

| | |
|-----------------------|---|
| Name | Regione Emilia-Romagna - Direzione Generale Cura del territorio e dell'ambiente - Servizio Aree protette, foreste e |
| /Organisation: | sviluppo della montagna |
| Address: | Viale Aldo Moro, 30 - 40127 Bologna |
| Email: | segrprn@regione.emilia-romagna.it |

1.7 Site indication and designation / classification dates

| | |
|---|---|
| Date site classified as SPA: | 1999-08 |
| National legal reference of SPA designation | Deliberazione della Giunta Regionale dell'Emilia-Romagna n. 2017 del 22 giugno 1999 |
| Date site proposed as SCI: | 1995-06 |
| Date site confirmed as SCI: | No data |
| Date site designated as SAC: | 2019-03 |
| National legal reference of SAC designation: | DM 13/03/2019 - G.U. 79 del 03-04-2019 |

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

Longitude 10.718889 **Latitude** 44.174167

2.2 Area [ha]:

5174.0

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code

Region Name

| | |
|------|----------------|
| ITD5 | Emilia-Romagna |
|------|----------------|

2.6 Biogeographical Region(s)

Continental (100.0
%)

3. ECOLOGICAL INFORMATION

3.1 Habitat types present on the site and assessment for them

[Back to top](#)

| Annex I Habitat types | | | | | | Site assessment | | | |
|-----------------------|----|----|------------|---------------|--------------|------------------|------------------|--------------|--------|
| Code | PF | NP | Cover [ha] | Cave [number] | Data quality | A B C D | A B C | | |
| | | | | | | Representativity | Relative Surface | Conservation | Global |
| 3140B | | | 0.03 | | G | B | C | B | B |
| 3150B | | | 1.77 | | G | A | C | A | A |
| 3240B | | | 12.78 | | G | B | C | B | B |
| 3260B | | | 1.12 | | G | B | C | B | B |
| 4030B | | | 6.88 | | G | B | C | A | A |
| 4060B | | | 591.11 | | G | A | C | A | A |
| 5130B | | | 1.0 | | P | A | C | A | A |
| 6150B | | | 324.05 | | G | A | C | B | B |
| 6170B | | | 244.7 | | G | A | C | A | A |
| 6210B | X | | 127.34 | | G | A | C | A | A |
| 6230B | | | 384.79 | | G | B | C | A | B |
| 6410B | | | 1.0 | | P | B | C | A | A |
| 6430B | | | 0.51 | | G | B | C | A | A |
| 6510B | | | 102.84 | | G | A | C | A | A |
| 7110B | | | 0.02 | | G | B | C | B | A |
| 7140B | | | 1.63 | | G | B | C | A | A |
| 7220B | | | 0.05 | | G | B | C | B | B |
| 8120B | | | 97.98 | | G | B | C | B | B |
| 8130B | | | 129.24 | | G | A | C | A | A |
| 8210B | | | 9.58 | | G | B | C | A | A |
| 8220B | | | 12.22 | | G | A | C | A | A |
| 8230B | | | 0.02 | | G | B | C | A | A |
| 8310B | | | 0.01 | | G | B | C | B | B |
| 9130B | | | 147.48 | | G | B | C | B | B |
| 91E0B | | | 9.26 | | G | B | C | A | B |

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

| Species | | | | | Population in the site | | | | | | Site assessment | | | |
|---------|------|---|---|----|------------------------|------|-----|------|------|----------|-----------------|------|-------|------|
| G | Code | Scientific Name | S | NP | T | Size | | Unit | Cat. | D. qual. | A B C D | | A B C | |
| | | | | | | Min | Max | | | | Pop. | Con. | Iso. | Glo. |
| B | A085 | Accipiter gentilis | | | r | | | | P | DD | C | B | C | B |
| B | A085 | Accipiter gentilis | | | p | | | | P | DD | C | B | C | B |
| B | A085 | Accipiter gentilis | | | c | | | | P | DD | C | B | C | B |
| B | A085 | Accipiter gentilis | | | w | | | | P | DD | C | B | C | B |
| B | A255 | Anthus campestris | | | r | | | | C | DD | C | B | C | C |
| B | A255 | Anthus campestris | | | c | | | | P | DD | C | B | C | C |
| B | A256 | Anthus trivialis | | | c | | | | P | DD | C | B | C | C |
| B | A256 | Anthus trivialis | | | r | | | | C | DD | C | B | C | C |
| B | A091 | Aquila chrysaetos | | | r | 1 | 1 | p | | G | C | B | C | B |
| B | A091 | Aquila chrysaetos | | | c | | | | P | DD | C | B | C | B |
| I | 1092 | Austropotamobius pallipes | | | p | | | | P | DD | C | B | C | B |
| M | 1308 | Barbastella barbastellus | | | p | | | | P | DD | C | B | C | B |
| M | 1352 | Canis lupus | | | c | | | | V | DD | C | B | C | B |
| B | A224 | Caprimulgus europaeus | | | c | | | | P | DD | C | B | C | C |
| B | A224 | Caprimulgus europaeus | | | r | | | | P | DD | C | B | C | C |
| I | 1088 | Cerambyx cerdo | | | p | | | | P | DD | C | B | C | C |
| B | A139 | Charadrius morinellus | | | c | | | | V | DD | D | | | |
| B | A080 | Circus gallicus | | | c | | | | R | DD | C | C | C | B |
| B | A081 | Circus aeruginosus | | | c | | | | R | DD | C | C | C | B |
| I | 1074 | Eriogaster catax | | | p | | | | P | DD | C | B | C | C |
| I | 6199 | Euplagia quadripunctaria | | | p | | | | P | DD | C | B | C | C |
| B | A103 | Falco peregrinus | | | p | | | | P | DD | C | B | C | B |
| I | 1082 | Graphoderus bilineatus | | | p | | | | P | DD | C | B | B | B |
| B | A338 | Lanius collurio | | | c | | | | P | DD | C | B | C | C |
| B | A338 | Lanius collurio | | | r | | | | C | DD | C | B | C | C |
| I | 1083 | Lucanus cervus | | | p | | | | P | DD | C | B | C | C |
| B | A246 | Lullula arborea | | | c | | | | P | DD | C | B | C | C |
| B | A246 | Lullula arborea | | | r | | | | C | DD | C | B | C | C |
| B | A271 | Luscinia megarhynchos | | | c | | | | P | DD | C | B | C | C |
| B | A271 | Luscinia megarhynchos | | | r | | | | C | DD | C | B | C | C |
| B | A280 | Monticola saxatilis | | | c | | | | P | DD | C | A | C | C |
| B | A280 | Monticola saxatilis | | | r | | | | R | DD | C | A | C | C |
| M | 1321 | Myotis emarginatus | | | p | | | | P | DD | C | B | C | B |

| | | | | | | | | | | | | | | |
|---|------|--|--|--|--|--|--|---|--|---|--|--|--|---|
| A | 1213 | Rana temporaria | | | | | | P | | X | | | | |
| P | | Rhododendron ferrugineum | | | | | | P | | | | | | X |
| A | 2351 | Salamandra salamandra | | | | | | P | | X | | | | |
| P | | Salix herbacea | | | | | | P | | | | | | X |
| P | | Saxifraga etrusca | | | | | | P | | X | | | | |
| A | 1185 | Speleomantes italicus | | | | | | P | | X | | | | |
| P | | Sphagnum flexuosum | | | | | | P | | | | | | X |
| P | | Sphagnum magellanicum | | | | | | P | | | | | | X |
| P | | Swertia perennis | | | | | | P | | X | | | | |
| P | | Thelypteris palustris | | | | | | P | | | | | | X |
| P | | Triglochin palustre | | | | | | P | | | | | | X |
| A | 2353 | Triturus alpestris | | | | | | P | | X | | | | |
| P | | Utricularia australis | | | | | | P | | | | | | X |
| P | | Viola palustris | | | | | | P | | | | | | X |

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** IV, V: Annex Species (Habitats Directive), A: National Red List data; B: Endemics; C: International Conventions; D: other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

| Habitat class | % Cover |
|----------------------------|------------|
| N09 | 1.0 |
| N08 | 7.0 |
| N20 | 1.0 |
| N16 | 48.0 |
| N11 | 24.0 |
| N14 | 1.0 |
| N06 | 1.0 |
| N07 | 1.0 |
| N17 | 9.0 |
| N10 | 1.0 |
| N19 | 2.0 |
| N22 | 4.0 |
| Total Habitat Cover | 100 |

Other Site Characteristics

Area di crinale con prateria di alta quota, brughiere, vegetazione casmofitica, ghiaioni, laghetti e torbiere di origine glaciale, faggete cedue, pascoli.

4.2 Quality and importance

Specie vegetali CORINE appendice K: Coeloglossum viride.RARE e MINACCIATE: Drosera rotundifolia, Triglochin palustre, Viola palustris.RARE: Armeria marginata, Empetrum hermaphroditum, Globularia incanescens, Leucanthemum ceratophylloides, Saxifraga etrusca, Murbeckiella

zanonii.RARISSIME: Geranium argenteum, Salix herbacea, Gentiana nivalis, Rhododendron ferrugineum.RARISSIME e MINACCIATE: Swertia perennis.POPOLAZIONE APPENNINICA: Empetrum hermaphroditum, Lycopodium clavatum, Gentiana nivalis, Rhododendron ferrugineum, Salix herbacea.Specie animali: Chionomys nivalis, entità presente in regione esclusivamente nella fascia altomontana appenninica; legata ad ambienti di prateria di altitudine (nardeti) o ad emergenze rocciose (pietraie e ghiaioni); in regione è presente con stazioni isolate che rappresentano il margine meridionale dell'areale di distribuzione.Rana temporaria: le popolazioni appenniniche sono isolate.Sito importante per la presenza di Canis lupus.Presenza comune di Cottus gobio.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

| Negative Impacts | | | |
|------------------|------------------------------|-----------------------------|------------------------|
| Rank | Threats and pressures [code] | Pollution (optional) [code] | inside/outside [i o b] |
| M | G08 | | i |
| M | E01 | | i |
| M | A01 | | i |
| M | A09 | | i |

| Positive Impacts | | | |
|------------------|-------------------------------|-----------------------------|-------------------------|
| Rank | Activities, management [code] | Pollution (optional) [code] | inside /outside [i o b] |

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.4 Ownership (optional)

4.5 Documentation

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

| Code | Cover [%] | Code | Cover [%] | Code | Cover [%] |
|------|-----------|------|-----------|------|-----------|
| IT04 | 96.0 | IT13 | 4.0 | | |

5.2 Relation of the described site with other sites:

designated at national or regional level:

| Type code | Site name | Type | Cover [%] |
|-----------|---|------|-----------|
| IT04 | Parco Regionale Alto Appennino Modenese | * | 96.0 |

5.3 Site designation (optional)

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

| | |
|---------------|---|
| Organisation: | ENTE GESTORE: Ente di Gestione per i Parchi e la Biodiversità Emilia centrale |
| Address: | recapiti ed email consultabili sul web: http://ambiente.regione.emilia-romagna.it/it/parchi-natura2000/consultazione/enti-di-gestione/enti-gestione-parchi |
| Email: | - |

6.2 Management Plan(s):

An actual management plan does exist:

| | | |
|-------------------------------------|------------------------|--|
| <input checked="" type="checkbox"/> | Yes | Name: Piani di Gestione del sito IT4040001 - Monte Cimone, Libro Aperto, Lago di Pratignano Link: http://ambiente.regione.emilia-romagna.it/it/parchi-natura2000/rete-natura-2000/strumenti-di-gestione/misure-specifiche-di-conservazione-piani-di-gestione/elenco-documenti-approvati-per-sito-piani-di-gestione |
| <input type="checkbox"/> | No, but in preparation | |

No

6.3 Conservation measures (optional)

Le Misure Specifiche di Conservazione sono consultabili alla pagina web del sito: <http://ambiente.regione.emilia-romagna.it/it/parchi-natura2000/rete-natura-2000/siti/it4040001>

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

251NO 250NE 236SO 235SE 1:25.000 UTM