



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and

for Special Areas of Conservation (SAC)

SITE IT4080008
SITENAME Balze di Verghereto, Monte Fumaiolo, Ripa della Moia

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

| | | |
|----------------------|-----------------------------------|-----------------------------|
| 1.1 Type B | 1.2 Site code IT4080008 | Back to top |
|----------------------|-----------------------------------|-----------------------------|

1.3 Site name

Balze di Verghereto, Monte Fumaiolo, Ripa della Moia

| | |
|--|-----------------------------------|
| 1.4 First Compilation date 1995-11 | 1.5 Update date 2022-12 |
|--|-----------------------------------|

1.6 Respondent:

Name Regione Emilia-Romagna - Direzione Generale Cura del territorio e dell'ambiente - Servizio Aree protette, foreste e
/Organisation: sviluppo della montagna
Address: Viale Aldo Moro, 30 - 40127 Bologna
Email: segrprn@regione.emilia-romagna.it

1.7 Site indication and designation / classification dates

| | |
|---|--|
| Date site classified as SPA: | 0000-00 |
| National legal reference of SPA designation | No data |
| Date site proposed as SCI: | 1995-12 |
| Date site confirmed as SCI: | No data |
| Date site designated as SAC: | 2019-03 |
| National legal reference of SAC designation: | DM 13/03/2019 - G.U. 79 del 03-04-2019 |

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

Longitude 12.08 **Latitude** 43.793611

[Back to top](#)

2.2 Area [ha]:

2462.0

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code

Region Name

ITD5

Emilia-Romagna

2.6 Biogeographical Region(s)

Continental (100.0
%)

3. ECOLOGICAL INFORMATION

[Back to top](#)

3.1 Habitat types present on the site and assessment for them

| Annex I Habitat types | | | | | | Site assessment | | | |
|-----------------------|----|----|------------|---------------|--------------|------------------|------------------|--------------|--------|
| Code | PF | NP | Cover [ha] | Cave [number] | Data quality | A B C D | A B C | | |
| | | | | | | Representativity | Relative Surface | Conservation | Global |
| 3140 | | | 0.05 | | G | B | C | B | B |
| 3240 | | | 0.13 | | G | A | C | B | A |
| 3260 | | | 0.1 | | G | A | C | B | A |
| 5130 | | | 9.22 | | G | B | C | B | B |
| 6110 | | | 8.17 | | G | B | C | A | A |
| 6210 | X | | 61.62 | | G | B | C | B | B |
| 6220 | | | 5.77 | | G | B | C | B | B |
| 6430 | | | 5.31 | | G | A | C | B | A |
| 6510 | | | 385.32 | | G | A | C | B | A |
| 7220 | | | 0.76 | | G | B | C | B | B |
| 8130 | | | 0.15 | | G | C | C | B | B |
| 8210 | | | 10.55 | | G | B | C | B | A |
| 8230 | | | 0.25 | | G | A | C | A | A |
| 8310 | | | 0.1 | | G | B | C | B | B |
| 9130 | | | 88.47 | | G | B | C | B | B |
| 9180 | | | 23.79 | | G | B | C | B | B |
| 9210 | | | 22.06 | | G | B | C | B | A |
| 9220 | | | 111.61 | | G | B | C | B | A |
| 9260 | | | 4.68 | | G | B | C | B | B |

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

| Species | | | | | Population in the site | | | | | | Site assessment | | | |
|---------|------|---|---|----|------------------------|------|-----|------|------|----------|-----------------|-------|------|------|
| G | Code | Scientific Name | S | NP | T | Size | | Unit | Cat. | D. qual. | A B C D | A B C | | |
| | | | | | | Min | Max | | | | Pop. | Con. | Iso. | Glo. |
| B | A085 | Accipiter gentilis | | | r | | | | P | DD | C | A | C | B |
| B | A255 | Anthus campestris | | | r | | | | P | DD | C | A | C | B |
| B | A256 | Anthus trivialis | | | r | | | | P | DD | C | A | C | C |
| B | A226 | Apus apus | | | r | | | | P | DD | C | A | C | C |
| B | A091 | Aquila chrysaetos | | | r | 1 | 1 | p | | G | C | B | C | C |
| I | 1092 | Austropotamobius pallipes | | | p | | | | P | DD | C | B | C | B |
| M | 1308 | Barbastella barbastellus | | | p | | | | P | DD | C | B | C | B |
| A | 5357 | Bombina pachypus | | | p | | | | P | DD | C | A | C | A |
| M | 1352 | Canis lupus | | | p | | | | P | DD | C | B | C | B |
| B | A084 | Circus pygargus | | | r | | | | P | DD | C | C | C | C |
| B | A113 | Coturnix coturnix | | | r | | | | P | DD | C | A | C | C |
| B | A212 | Cuculus canorus | | | r | | | | P | DD | C | A | C | C |
| B | A738 | Delichon urbicum | | | c | | | | P | DD | D | | | |
| B | A376 | Emberiza citrinella | | | r | | | | P | DD | C | A | C | B |
| I | 6199 | Euplagia quadripunctaria | | | p | | | | P | DD | C | B | C | C |
| B | A103 | Falco peregrinus | | | p | | | | P | DD | C | B | C | B |
| B | A097 | Falco vespertinus | | | c | | | | P | DD | B | C | A | C |
| B | A251 | Hirundo rustica | | | c | | | | P | DD | D | | | |
| B | A233 | Jynx torquilla | | | r | | | | P | DD | C | A | C | C |
| B | A338 | Lanius collurio | | | r | | | | P | DD | C | B | C | C |
| I | 1083 | Lucanus cervus | | | p | | | | P | DD | C | B | C | B |
| B | A246 | Lullula arborea | | | r | | | | P | DD | C | A | C | B |
| M | 1310 | Mniopterus schreibersii | | | p | | | | P | DD | C | B | C | B |
| B | A280 | Monticola saxatilis | | | r | | | | P | DD | C | A | C | B |
| M | 1321 | Myotis emarginatus | | | p | | | | P | DD | C | B | C | B |
| M | 1324 | Myotis myotis | | | p | | | | P | DD | C | B | C | B |
| B | A277 | Oenanthe oenanthe | | | r | | | | P | DD | C | A | C | C |
| I | 1084 | Osmoderma eremita | | | p | | | | P | DD | C | B | C | B |
| B | A072 | Pernis apivorus | | | r | | | | P | DD | C | B | C | C |
| B | A274 | Phoenicurus phoenicurus | | | r | | | | P | DD | C | A | C | C |
| B | A499 | Phylloscopus bonelli | | | r | | | | P | DD | C | A | C | C |
| B | A314 | Phylloscopus sibilatrix | | | r | | | | P | DD | C | B | C | B |
| B | A267 | Prunella collaris | | | r | | | | P | DD | C | B | C | B |
| B | A250 | Ptyonoprogne rupestris | | | r | | | | P | DD | C | A | C | C |
| M | 1303 | Rhinolophus hipposideros | | | p | | | | P | DD | C | B | C | B |
| I | 1087 | Rosalia alpina | | | p | | | | P | DD | C | B | C | B |
| A | 1175 | Salamandrina terdigitata | | | p | | | | P | DD | C | A | B | A |
| B | A210 | Streptopelia turtur | | | r | | | | P | DD | C | A | C | C |

| | | | | | | | | | | | | | | |
|---|------|-----------------------------------|--|--|---|--|--|--|---|----|---|---|---|---|
| B | A309 | Sylvia communis | | | r | | | | P | DD | C | A | C | C |
| A | 1167 | Triturus carnifex | | | p | | | | P | DD | C | B | C | B |

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

| Species | | | | | Population in the site | | | | Motivation | | | | | |
|---------|------|--|---|----|------------------------|-----|------|---------|---------------|---|------------------|---|---|---|
| Group | CODE | Scientific Name | S | NP | Size | | Unit | Cat. | Species Annex | | Other categories | | | |
| | | | | | Min | Max | | C R V P | IV | V | A | B | C | D |
| P | | Aconitum lycoctonum | | | | | | P | | | | | | X |
| P | | Anacamptis pyramidalis | | | | | | P | | | | | X | |
| I | | Carabus alysidotus | | | | | | P | | | X | | | |
| I | | Carabus italicus italicus | | | | | | P | | | | | | X |
| P | | Coeloglossum viride | | | | | | P | | | | | X | |
| P | | Daphne oleoides | | | | | | P | | | | | | X |
| P | | Epipactis muelleri | | | | | | P | | | | | | X |
| M | 1363 | Felis silvestris | | | | | | P | X | | | | | |
| P | 1866 | Galanthus nivalis | | | | | | P | | X | | | | |
| R | 5670 | Hierophis viridiflavus | | | | | | P | X | | | | | |
| M | 5365 | Hypsugo savii | | | | | | P | X | | | | | |
| M | 1344 | Hystrix cristata | | | | | | P | X | | | | | |
| P | | Ilex aquifolium | | | | | | P | | | | | | X |
| R | 5179 | Lacerta bilineata | | | | | | P | X | | | | | |
| P | | Lilium martagon | | | | | | P | | | | | | X |
| A | | Lissotriton vulgaris | | | | | | P | | | X | | | |
| M | 1341 | Muscardinus avellanarius | | | | | | P | X | | | | | |
| M | 1358 | Mustela putorius | | | | | | P | | X | | | | |
| M | 1314 | Myotis daubentonii | | | | | | P | X | | | | | |
| M | 1331 | Nyctalus leisleri | | | | | | P | X | | | | | |
| P | | Ophioglossum vulgatum | | | | | | P | | | | | | X |
| I | 1056 | Parnassius mnemosyne | | | | | | P | X | | | | | |
| P | | Phyllitis scolopendrium | | | | | | P | | | | | | X |
| M | 2016 | Pipistrellus kuhlii | | | | | | P | X | | | | | |
| M | 1309 | Pipistrellus pipistrellus | | | | | | P | X | | | | | |
| P | | Plantago maritima maritima | | | | | | P | | | | | | X |
| M | 1329 | Plecotus austriacus | | | | | | P | X | | | | | |

| | | | | | | | | | | | | | | |
|---|------|---|--|--|--|--|--|---|---|---|---|--|--|---|
| R | 1256 | Podarcis muralis | | | | | | P | X | | | | | |
| A | 1209 | Rana dalmatina | | | | | | P | X | | | | | |
| A | 1206 | Rana italica | | | | | | P | X | | | | | |
| A | 1213 | Rana temporaria | | | | | | P | | X | | | | |
| P | | Rhamnus alpina alpina | | | | | | P | | | | | | X |
| P | | Saxifraga granulata granulata | | | | | | P | | | | | | X |
| P | | Scilla bifolia | | | | | | P | | | | | | X |
| A | | Speleomantes italicus | | | | | | P | | | X | | | |
| A | | Triturus alpestris | | | | | | P | | | X | | | |
| R | 6091 | Zamenis longissimus | | | | | | P | X | | | | | |
| I | 1053 | Zerynthia polyxena | | | | | | P | X | | | | | |

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** IV, V: Annex Species (Habitats Directive), A: National Red List data; B: Endemics; C: International Conventions; D: other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

| Habitat class | % Cover |
|----------------------------|------------|
| N16 | 49.0 |
| N17 | 6.0 |
| N15 | 2.0 |
| N14 | 5.0 |
| N23 | 1.0 |
| N10 | 21.0 |
| N19 | 2.0 |
| N22 | 3.0 |
| N06 | 1.0 |
| N08 | 10.0 |
| Total Habitat Cover | 100 |

Other Site Characteristics

Grande estensione di pascoli montani, con rupi calcaree e monti ricoperti da faggete e abetine artificiali. Stazioni relitte di Taxus baccata.

4.2 Quality and importance

I pascoli e le rupi sono importanti siti rispettivamente per Lullula arborea e Anthus campestris. Una coppia di aquila reale nidifica dal 1999.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

| Negative Impacts | | | |
|------------------|------------------------------|-----------------------------|------------------------|
| Rank | Threats and pressures [code] | Pollution (optional) [code] | inside/outside [i o b] |
| M | D01 | | i |
| M | F05 | | i |

| Positive Impacts | | | |
|------------------|-------------------------------|-----------------------------|-------------------------|
| Rank | Activities, management [code] | Pollution (optional) [code] | inside /outside [i o b] |

| | | | |
|---|-----|--|---|
| M | G11 | | i |
|---|-----|--|---|

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.4 Ownership (optional)

4.5 Documentation

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

| Code | Cover [%] | Code | Cover [%] | Code | Cover [%] |
|------|-----------|------|-----------|------|-----------|
| IT13 | 40.0 | IT00 | 20.0 | IT35 | 40.0 |

5.2 Relation of the described site with other sites:

5.3 Site designation (optional)

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

| | |
|---------------|---|
| Organisation: | ENTE GESTORE: Regione Emilia-Romagna |
| Address: | recapiti ed email consultabili sul web: http://ambiente.regione.emilia-romagna.it/it/parchi-natura2000/consultazione/enti-di-gestione/enti-gestione-parchi |
| Email: | - |

6.2 Management Plan(s):

An actual management plan does exist:

| | |
|---|--|
| <input checked="" type="checkbox"/> Yes | Name: Piani di Gestione del sito IT4080008 - Balze di Verghereto, Monte Fumaiolo, Ripa della Moia Link: http://ambiente.regione.emilia-romagna.it/it/parchi-natura2000/rete-natura-2000/strumenti-di-gestione/misure-specifiche-di-conservazione-piani-di-gestione/elenco-documenti-approvati-per-sito-piani-di-gestione |
| <input type="checkbox"/> No, but in preparation | |
| <input type="checkbox"/> No | |

6.3 Conservation measures (optional)

Le Misure Specifiche di Conservazione sono consultabili alla pagina web del sito: <http://ambiente.regione.emilia-romagna.it/it/parchi-natura2000/rete-natura-2000/siti/it4080008>

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

278NO 266SO 1:25.000 UTM